


ARC-3 14 or 18 Gauge

*Galvanized Insulated
Skylight Curb*



Curb Model ARC-3


Warranty: 5-year and 10-year limited warranty available. Complete warranty terms located at: www.acuitybrands.com/CustomerResources/Terms_and_conditions.aspx

Note: Actual performance may differ as a result of end-user environment and application.

Specifications subject to change without notice.

PRODUCT PROFILE

Details Not To Scale



SPECIFICATIONS

Curbs shall be Sunoptics model ARC-3 as manufactured by Sunoptics Skylights, 6201 27th Street, Sacramento Ca. 95822 916/395-4700

Curbs shall be completely fabricated ready for installation.


Curbs shall be fabricated from 14 gauge or 18 gauge Galvanized Steel, interior painted white and include a 1 1/2" thick rigid foam insulation. Curb shall include a 2 X 2 Pressure Treated Wood Nailer for mounting skylight.

Curbs shall include as standard, an OSHA 1910 and 1926.502 compliant 3/16" wire mesh, 6" O.C. welded Safety Security Guard. (4" O.C. CalOSHA Compliant guards are also available).

(Optional) 1/2" Round Steel Security Bars welded 8" O.C. Both directions.


Fixture		OD Bare Curb Callou		OD Curb Width		OD Curb Length		Curb Type	
CURB	Curb	2020	26" x 26"	W26	Width 26 inches	L26	Length 26 inches	ARC39	9" Tall Fully Welded Insulated
		2040	26" x 50"	W26	Width 26 inches	L50	Length 50 inches	ARC312	12" Tall Fully Welded Insulated
		2080	26" x 98"	W26	Width 26 inches	L98	Length 98 inches	ARC314	14" Tall Fully Welded Insulated
		20100	26"x122"	W26	Width 26 inches	L122	Length 122 inches	ARC3	Custom Height Curb
		3030	38" x 38"	W38	Width 38 inches	L38	Length 38 inches	<i>For Custom Curb Height use CUST in the OD Bare Curb Callout and Add the Custom Height as the last 2 digits of ARC3 i.e. "ARC316" for a 16 inch ARC-3 Curb</i>	
		3050	38"x62"	W38	Width 38 inches	L62	Length 62 inches		
		3060	38"x74"	W38	Width 38 inches	L74	Length 74 inches		
		3080	38"x98"	W38	Width 38 inches	L98	Length 98 inches		
		30100	38"x122"	W38	Width 38 inches	L122	Length 122 inches		
		4040	50" x 50"	W50	Width 50 inches	L50	Length 50 inches		
		4050	50"x62"	W50	Width 50 inches	L62	Length 62 inches		
		4060	50"x74"	W50	Width 50 inches	L74	Length 74 inches		
		4070	50"x86"	W50	Width 50 inches	L86	Length 86 inches		
		4080	51"x99"	W51	Width 51 inches	L99	Length 99 inches		
		40100	51" x 122"	W51	Width 51 inches	L122	Length 122 inches		
		5050	62"x62"	W62	Width 62 inches	L62	Length 62 inches		
		5060	62-3/8"x74-3/8"	W62.375	Width 62.375 Inches	L74.375	Length 74.375 inches		
		5070	62"x86"	W62	Width 62 inches	L86	Length 86 inches		
		5080	62"x98"	W62	Width 62 inches	L98	Length 98 inches		
		50100	62"x122"	W62	Width 62 inches	L122	Length 122 inches		
		Use CUST for Custom sized units.							

Curb Thickness		Guard	
18GA	18 Gauge Galvanized Steel	NG	No Guard
14GA	14 Gauge Galvanized Steel	(blank)	With Guard (Default)
		BURGB	Burglar Bars 8 inch OC Grid with 1/2" Round Rod.



ARC-6 14 or 18 Gauge

Galvanized Non-Insulated
Skylight Curb



Curb Model ARC-6


Warranty: 5-year and 10-year limited warranty available. Complete warranty terms located at: www.acuitybrands.com/CustomerResources/Terms_and_conditions.aspx

Note: Actual performance may differ as a result of end-user environment and application.

Specifications subject to change without notice.

PRODUCT PROFILE

Details Not To Scale



SPECIFICATIONS

Curbs shall be Sunoptics model ARC-6 as manufactured by Sunoptics Skylights, 6201 27th Street, Sacramento Ca. 95822 916/395-4700

Curbs shall be completely fabricated ready for installation.

Curbs shall be fabricated from 14 gauge or 18 gauge G-90 Galvanized Steel, interior painted white. Curb shall include a 2 X 4 Pressure Treated Wood Nailer for mounting skylight.


Curbs shall include as standard, an OSHA 1910 and 1926.502 compliant 3/16" wire mesh, 6" O.C. welded Safety Security Guard. (4" O.C. CalOSHA Compliant guards are also available).

(Optional) 1/2" Round Steel Security Bars welded 8" O.C. Both directions.




Fixture		OD Bare Curb Callou		OD Curb Width		OD Curb Length		Curb Type	
CURB	Curb	2020	26" x 26"	W26	Width 26 inches	L26	Length 26 inches	ARC69	9" Steel Curb No Insulation
		2040	26" x 50"	W26	Width 26 inches	L50	Length 50 inches	ARC612	12" Steel Curb No Insulation
		2080	26" x 98"	W26	Width 26 inches	L98	Length 98 inches	ARC614	14" Steel Curb No Insulation
		20100	26"x122"	W26	Width 26 inches	L122	Length 122 inches	For Custom Curb Height use CUST in the OD Bare Curb Callout and Add the Custom Height as the last 2 digits of ARC6 i.e. "ARC616" for a 16 inch ARC-6 Curb	
		3030	38" x 38"	W38	Width 38 inches	L38	Length 38 inches		
		3050	38"x62"	W38	Width 38 inches	L62	Length 62 inches		
		3060	38"x74"	W38	Width 38 inches	L74	Length 74 inches		
		3080	38"x98"	W38	Width 38 inches	L98	Length 98 inches		
		30100	38"x122"	W38	Width 38 inches	L122	Length 122 inches		
		4040	50" x 50"	W50	Width 50 inches	L50	Length 50 inches		
		4050	50"x62"	W50	Width 50 inches	L62	Length 62 inches		
		4060	50"x74"	W50	Width 50 inches	L74	Length 74 inches		
		4070	50"x86"	W50	Width 50 inches	L86	Length 86 inches		
		4080	51"x99"	W51	Width 51 inches	L99	Length 99 inches		
		40100	51" x 122"	W51	Width 51 inches	L122	Length 122 inches		
		5050	62"x62"	W62	Width 62 inches	L62	Length 62 inches		
		5060	62-3/8"x74-3/8"	W62.375	Width 62.375 Inches	L74.375	Length 74.375 inches		
		5070	62"x86"	W62	Width 62 inches	L86	Length 86 inches		
		5080	62"x98"	W62	Width 62 inches	L98	Length 98 inches		
		50100	62"x122"	W62	Width 62 inches	L122	Length 122 inches		
	Use CUST for Custom sized units.								

Curb Thickness		Guard	
18GA	18 Gauge Galvanized Steel	NG	No Guard
14GA	14 Gauge Galvanized Steel	(blank)	With Guard (Default)
		BURGB	Burglar Bars 8 inch OC Grid with 1/2" Round Rod.



AMBC-1 14 or 18 Gauge

Galvalume Insulated Skylight Curb
For Metal Roofs



Curb Model AMBC-1


Warranty: 5-year and 10-year limited warranty available. Complete warranty terms located at: www.acuitybrands.com/CustomerResources/Terms_and_conditions.aspx

Note: Actual performance may differ as a result of end-user environment and application.

Specifications subject to change without notice.

PRODUCT PROFILE

Details Not To Scale



SPECIFICATIONS

Curbs shall be Sunoptics model AMBC-1 as manufactured by Sunoptics Skylights, 6201 27th Street, Sacramento Ca. 95822 916/395-4700

Curbs shall be completely fabricated ready for installation.

Curbs shall be fabricated from 14 gauge or 18 gauge Galvalume Steel, interior painted white. Curb shall include a 12" wide upper end Cricket Diverter with Cell Caps and 6" wide lower end with Cell Caps. (Roof Panel Profile required for Cell Caps).


Curbs shall include as standard, an OSHA 1910 and 1926.502 compliant 3/16" wire mesh, 6" O.C. welded Safety Security Guard. (4" O.C. CalOSHA Compliant guards are also available).

(Optional) 1/2" Round Steel Security Bars welded 8" O.C. Both directions, Painted Curb Exterior, SSR Deck Caps and custom Cell Caps.

Fixture		OD Bare Curb Callou		OD Curb Width		OD Curb Length		Curb Type		
CURB	Curb	2020	26" x 26"	W26	Width 26 inches	L26	Length 26 inches	AMBC19A	9" Metal Roof Curb	
		2040	26" x 50"	W26	Width 26 inches	L50	Length 50 inches	AMBC112A	12" Metal Roof Curb	
		2080	26" x 98"	W26	Width 26 inches	L98	Length 98 inches	AMBC114A	14" Metal Roof Curb	
		20100	26" x 122"	W26	Width 26 inches	L122	Length 122 inches	<i>For Custom Curb Height use CUST in the OD Bare Curb Callout and Add the Custom Height as the last 2 digits of AMBC1 i.e. "AMBC116A" for a 16 inch AMBC-1 Curb</i>		
		3030	38" x 38"	W38	Width 38 inches	L38	Length 38 inches			
		3050	38" x 62"	W38	Width 38 inches	L62	Length 62 inches			
		3060	38" x 74"	W38	Width 38 inches	L74	Length 74 inches			
		3080	38" x 98"	W38	Width 38 inches	L98	Length 98 inches			
		30100	38" x 122"	W38	Width 38 inches	L122	Length 122 inches			
		4040	50" x 50"	W50	Width 50 inches	L50	Length 50 inches			
		4050	50" x 62"	W50	Width 50 inches	L62	Length 62 inches			
		4060	50" x 74"	W50	Width 50 inches	L74	Length 74 inches			
		4070	50" x 86"	W50	Width 50 inches	L86	Length 86 inches			
		4080	51" x 99"	W51	Width 51 inches	L99	Length 99 inches			
		40100	51" x 122"	W51	Width 51 inches	L122	Length 122 inches			
		5050	62" x 62"	W62	Width 62 inches	L62	Length 62 inches			
		5060	62-3/8" x 74-3/8"	W62.375	Width 62.375 Inches	L74.375	Length 74.375 inches			
		5070	62" x 86"	W62	Width 62 inches	L86	Length 86 inches			
		5080	62" x 98"	W62	Width 62 inches	L98	Length 98 inches			
		50100	62" x 122"	W62	Width 62 inches	L122	Length 122 inches			


Curb Thickness		Guard		Options	
18GA	18 Gauge Galvanized Steel	NG	No Guard	CELLCAP	Cell Cap
14GA	14 Gauge Galvanized Steel	(blank)	With Guard (Default)	BUTYLTP	Butyl Tape
		BURGB	Burglar Bars 8 inch OC Grid with 1/2" Round Rod.		

Note: When ordering these items: CELLCAP, BUTYLTP, 9", 12" or 14" Metal Roof Curb, please contact customer support (800) 289-4700.



WOOD 2X D.F.

2x Douglas Fir Wood
Skylight Curb



Curb Model Wood

KEY FEATURES

AVAILABLE CERTIFICATIONS


Warranty: 5-year and 10-year limited warranty available. Complete warranty terms located at: www.acuitybrands.com/CustomerResources/Terms_and_conditions.aspx

Note: Actual performance may differ as a result of end-user environment and application.

Specifications subject to change without notice.

PRODUCT PROFILE

Details Not To Scale



SPECIFICATIONS

Curbs shall be Sunoptics model WOOD as manufactured by Sunoptics Skylights, 6201 27th Street, Sacramento Ca. 95822 916/395-4700

Curbs shall be completely fabricated ready for installation.

Curbs shall be fabricated from 2X Douglas Fir Lumber. Corners shall be joined using a 1 1/4" X 3" X 18 Gauge Galvanized strap. Curbs shall include a 1 1/4" X 3/4" X 18 Gauge angle clips pre-mounted to exterior bottom of curb for installation to the roof deck.

Interior White Liner (default) with curb.

Wood curbs only available with 4" O.C. CalOSHA Compliant Guard.

(Optional) 1/2" Round Steel Security Bars welded 8" O.C. Both directions.

ORDERING LOGIC

WOOD



Fixture

CURB Curb

OD Bare Curb Callou

2020 26" x 26"
2040 26" x 50"
2080 26" x 98"
20100 26"x122"
3030 38" x 38"
3050 38"x62"
3060 38"x74"
3080 38"x98"
30100 38"x122"
4040 50" x 50"
4050 50"x62"
4060 50"x74"
4070 50"x86"
4080 51"x99"
40100 51" x 122"
5050 62"x62"
5060 62-3/8"x74-3/8"
5070 62"x86"
5080 62"x98"
50100 62"x122"

Use **CUST** for Custom sized units.

OD Curb Width

W26 Width 26 inches
W26 Width 26 inches
W26 Width 26 inches
W26 Width 26 inches
W38 Width 38 inches
W38 Width 38 inches
W38 Width 38 inches
W38 Width 38 inches
W38 Width 38 inches
W50 Width 50 inches
W50 Width 50 inches
W50 Width 50 inches
W50 Width 50 inches
W51 Width 51 inches
W51 Width 51 inches
W62 Width 62 inches
W62.375 Width 62.375 Inches
W62 Width 62 inches
W62 Width 62 inches
W62 Width 62 inches

OD Curb Length

L26 Length 26 inches
L50 Length 50 inches
L98 Length 98 inches
L122 Length 122 inches
L38 Length 38 inches
L62 Length 62 inches
L74 Length 74 inches
L98 Length 98 inches
L122 Length 122 inches
L50 Length 50 inches
L62 Length 62 inches
L74 Length 74 inches
L86 Length 86 inches
L99 Length 99 inches
L122 Length 122 inches
L62 Length 62 inches
L74.375 Length 74.375 inches
L86 Length 86 inches
L98 Length 98 inches
L122 Length 122 inches

Curb Type

WDC6 2x6 Wood Curb
WDC8 2x8 Wood Curb
WDC10 2x10 Wood Curb
WDC12 2x12 Wood Curb



Guard

NG No Guard
(blank) With Guard (**Default**)
BURGB Burglar Bars 8 inch OC Grid with 1/2" Round Rod.

Options

NOLINER No White Liner
SILLINER Silver Liner



CurbModelWood_2XDF