


# Double Hip & Pyramid

## Fixed Skylights



### Frame Model 800MD

#### KEY FEATURES


- Custom Sizes Available
- Prismatic Design
- Bronze or Mill Finish

**Warranty:** 5-year and 10-year limited warranty available. Complete warranty terms located at: [www.acuitybrands.com/CustomerResources/Terms\\_and\\_conditions.aspx](http://www.acuitybrands.com/CustomerResources/Terms_and_conditions.aspx)

**Note:** Actual performance may differ as a result of end-user environment and application.

Specifications subject to change without notice.

#### PRODUCT PROFILE



#### SPECIFICATIONS

Skylights shall be Sunoptics model 800MD (curb mounted) as manufactured by Sunoptics Skylights, 6201 27th Street, Sacramento Ca. 95822 916/395-4700

Skylights shall be glazed ready for installation.

Skylight frames shall be fabricated from 6063 T5 aluminum, finish as specified by architect. Frames shall have integral condensation and weepage gutters which drain interior moisture to the outside. Corners shall be mitered and welded. Skylight frames shall be insulated and thermally broken. The acrylic glazing shall be separated from the skylight frame with an EPDM rubber air seal gasket.

Skylights shall be glazed using CC2 Rated acrylic, or CC1 Rated polycarbonate glazed in a pyramid or double hip configuration.

Double Hip Units are tested and certified to AAMA/WDMA/CSA101/I.S.2/A440-05 to comply with section 2405.5 of the International Building Code.

Note: Multi-glazed units default to include Insulated Thermal Break (ITBR), CTape, Weather Sweep (WSW) and screws. Single-glazed units default to not included any of these options.

Certain airborne contaminants can diminish the integrity of acrylic and/or polycarbonate lenses. Refer to the compatibility tables for suitable uses on our website.

Type	SHGC	U-Value	VLT
Single Glazed Acrylic	.51	n/a	.74
Single Glazed Poly	.51	n/a	.70
Double Glazed Acrylic/Acrylic	.42	.74	.68
Double Glazed Poly/Acrylic	.42	.74	.63
Triple Glazed Acrylic/Acrylic/Acrylic	.33	.62	.63
Triple Glazed Poly/Acrylic/Acrylic	.33	.62	.60

# ORDERING LOGIC


# Double Hip & Pyramid Skylights

<b>Fixture</b>	<b>ID Frame Dimensions</b>	<b>Glazing</b>	<b>Lens Material</b>	<b>Lens Colors</b>	
<b>DHP</b> Double Hip Lens	<b>1414</b> 18-5/8" x 18-5/8" <sup>4</sup>	<b>SGZ</b> Single Glaze	<b>CC1</b> Polycarbonate	<b>LENSWH</b>	White ( <b>Single Glaze Default</b> ) <sup>1</sup>
<b>PY</b> Pyramid Lens	<b>2040</b> 27-1/4" x 51-1/4"	<b>DGZ</b> Double Glaze	<b>50CC2</b> 50% IM Acrylic	<b>LENSCL</b>	Clear <sup>1</sup>
	<b>2080</b> 27-1/4" x 99-1/4"	<b>TGZ</b> Triple Glaze		<b>LENSWHCL</b>	White Clear <sup>2</sup>
	<b>20100</b> 27-1/4" x 123-1/4"			<b>LENSCLWH</b>	Clear White ( <b>Double Glaze Default</b> ) <sup>2</sup>
	<b>2020</b> 26-5/8" x 26-5/8" <sup>4</sup>			<b>LENSWHWH</b>	White White <sup>2</sup>
	<b>2828</b> 34-5/8" x 34-5/8" <sup>4</sup>			<b>LENSCLCL</b>	Clear Clear <sup>2</sup>
	<b>3030</b> 38-5/8" x 38-5/8" <sup>4</sup>			<b>LENSWHWHWH</b>	White White White <sup>3</sup>
	<b>3050</b> 39-1/4" x 63-1/4"			<b>LENSCLCLCL</b>	Clear Clear Clear <sup>3</sup>
	<b>3060</b> 39-1/4" x 75-1/4"			<b>LENSCLWHCL</b>	Clear White Clear ( <b>Triple Glaze Default</b> ) <sup>3</sup>
	<b>3080</b> 39-1/4" x 99-1/4"			<b>LENSWHCLWH</b>	White Clear White <sup>3</sup>
	<b>30100</b> 39-1/4" x 123-1/4"			<b>LENSCLWHWH</b>	Clear White White <sup>3</sup>
	<b>4040</b> 51-1/4" x 51-1/4" <sup>4</sup>			<b>LENSWHCLCL</b>	White Clear Clear <sup>3</sup>
	<b>4050</b> 51-1/4" x 63-1/4"				
	<b>4060</b> 51-1/4" x 75-1/4"				
	<b>4070</b> 51-1/4" x 87-1/4"				
	<b>4080</b> 52-1/4" x 100-1/4"				
	<b>40100</b> 52-1/4" x 123-1/4"				
	<b>5558</b> 67-3/4" x 70-3/4"				
	<b>5050</b> 63-1/4" x 63-1/4" <sup>4</sup>				
	<b>5060</b> 63-5/8" x 75-5/8"				
	<b>5070</b> 63-1/4" x 87-1/4"				
	<b>5080</b> 63-1/4" x 99-5/8"				

Use **CUST** for Custom sized units.


<b>Unit Type</b>	<b>Venting*</b>	<b>Skylight Frame Finish</b>	<b>Options</b>	
<b>800MD</b> Standard Frame ( <b>Default</b> )	<b>(blank)</b> No Venting	<b>MI</b> Mill ( <b>Default</b> )	<b>(blank)</b>	No Options
<b>800SC</b> So-Cal Skylight	<b>1BL</b> 1 Blade Continuous Vent	<b>WH</b> White	<b>ITBR</b>	Insulated Thermal Break
<b>805SC</b> Continuous Vent	<b>2BL</b> 2 Blade Continuous Vent	<b>BZ</b> Bronze	<b>NITBR</b>	No Insulated Thermal Break
	<b>3BL</b> 3 Blade Continuous Vent	<b>CF</b> Custom	<b>WSW</b>	Weather Sweep
	<b>4BL</b> 4 Blade Continuous Vent		<b>NWSW</b>	No Weather Sweep
	<b>5BL</b> 5 Blade Continuous Vent		<b>CTAPE</b>	Curb Seal Tape
	<b>6BL</b> 6 Blade Continuous Vent		<b>NOCTAPE</b>	No Curb Seal Tape
	<b>7BL</b> 7 Blade Continuous Vent			
	<b>8BL</b> 8 Blade Continuous Vent			
	<b>9BL</b> 9 Blade Continuous Vent			
	<b>10BL</b> 10 Blade Continuous Vent			

1) Single Glaze 2) Double Glaze 3) Triple Glaze 4) Pyramid Lens only \*available with 805SC unit type only



# Double Hip & Pyramid

Continuous Venting  
Industrial Skylights




## Frame Model 805SC

### KEY FEATURES

- Custom Sizes Available
- Prismatic Design
- Optional Bug Screen

### PRODUCT PROFILE

Details Not To Scale



### SPECIFICATIONS

Skylights shall be Sunoptics model 805SC (curb mounted) as manufactured by Sunoptics Skylights, an Acuity Brands Company, 6201 27th Street, Sacramento CA 95822 916/395-4700.

Skylights shall be glazed ready for installation.

Skylight frames shall be fabricated from 6063 T5 aluminum, finish as specified. Frames shall have integral condensation and weepage gutters which drain interior moisture to the outside. Corners shall be mitered and welded. The acrylic, or polycarbonate, glazing shall be separated from the skylight frame with a Silicone Seal.

Skylights shall be continuous venting using integral Air Louver Blades with a minimum 3/4" overlap. Number of blades as specified.

Skylights shall be glazed using 50% Impact Modified CC2 Prismatic acrylic, or CC1 rated Prismatic polycarbonate in a pyramid or double hip configuration.

**Note:** Specifications subject to change without notice.

Type	SHGC	U-Value	VLТ
Single Glazed Acrylic	.51	n/a	.74
Single Glazed Poly	.51	n/a	.70
Double Glazed Acrylic/Acrylic	.42	n/a	.68
Double Glazed Poly/Acrylic	.42	n/a	.63

# ORDERING LOGIC

# Double Hip & Pyramid Skylights

Fixture	ID Frame Call-Out	ID Frame Width	ID Frame Length	Glazing	Lens Material
<b>DHP</b> Double Hip Lens	<b>1414</b> 18-5/8" x 18-5/8" / 473mm x 473mm <sup>3</sup>	<b>W18.625</b> (473 mm)	<b>L18.625</b> (473mm)	<b>SGZ</b> Single Glaze	<b>CC1</b> Polycarbonate
<b>PY</b> Pyramid Lens	<b>2020</b> 27-1/4" x 27-1/4" / 692mm x 692mm <sup>3</sup>	<b>W27.250</b> (692 mm)	<b>L27.250</b> (692 mm)	<b>DGZ</b> Double Glaze	<b>50CC2</b> 50% IM Acrylic
	<b>2828</b> 34-5/8" x 34-5/8" / 879mm x 879mm <sup>3</sup>	<b>W34.625</b> (879mm)	<b>L34.625</b> (879 mm)	<b>TGZ</b> Triple Glaze	
	<b>2030</b> 27-1/4" x 39-1/4" / 692mm x 997mm	<b>W27.250</b> (692 mm)	<b>L39.250</b> (997 mm)		
	<b>2040</b> 27-1/4" x 51-1/4" / 692mm x 1302mm	<b>W27.250</b> (692 mm)	<b>L51.250</b> (1302 mm)		
	<b>2050</b> 27-1/4" x 63-1/4" / 692mm x 1607mm	<b>W27.250</b> (692 mm)	<b>L63.250</b> (1607 mm)		
	<b>2060</b> 27-1/4" x 75-1/4" / 692mm x 1911mm	<b>W27.250</b> (692 mm)	<b>L75.250</b> (1911 mm)		
	<b>2080</b> 27-1/4" x 99-1/4" / 692mm x 2521mm	<b>W27.250</b> (692 mm)	<b>L99.250</b> (2521 mm)		
	<b>20100</b> 27-1/4" x 123-1/4" / 692mm x 3131mm	<b>W27.250</b> (692 mm)	<b>L123.250</b> (3131 mm)		
	<b>3030</b> 39-1/4" x 39-1/4" / 997mm x 997mm <sup>3</sup>	<b>W39.250</b> (997 mm)	<b>L39.250</b> (997 mm)		
	<b>3040</b> 39-1/4" x 51-1/4" / 997mm x 1302mm	<b>W39.250</b> (997 mm)	<b>L51.250</b> (1302 mm)		
	<b>3050</b> 39-1/4" x 63-1/4" / 997mm x 1607mm	<b>W39.250</b> (997 mm)	<b>L63.250</b> (1607 mm)		
	<b>3060</b> 39-1/4" x 75-1/4" / 997mm x 1911mm	<b>W39.250</b> (997 mm)	<b>L75.250</b> (1911 mm)		
	<b>3080</b> 39-1/4" x 99-1/4" / 997mm x 2521mm	<b>W39.250</b> (997 mm)	<b>L99.250</b> (2521 mm)		
	<b>30100</b> 39-1/4" x 123-1/4" / 997mm x 3131mm	<b>W39.250</b> (997 mm)	<b>L123.250</b> (3131 mm)		
	<b>4040</b> 51-1/4" x 51-1/4" / 1302mm x 1302mm <sup>3</sup>	<b>W51.250</b> (1302 mm)	<b>L51.250</b> (1302 mm)		
	<b>4050</b> 51-1/4" x 63-1/4" / 1302mm x 1607mm	<b>W51.250</b> (1302 mm)	<b>L63.250</b> (1607 mm)		
	<b>4060</b> 51-1/4" x 75-1/4" / 1302mm x 1911mm	<b>W51.250</b> (1302 mm)	<b>L75.250</b> (1911 mm)		
	<b>4070</b> 51-1/4" x 87-1/4" / 1302mm x 2216mm	<b>W51.250</b> (1302 mm)	<b>L87.250</b> (2216 mm)		
	<b>4080</b> 52-1/4" x 100-1/4" / 1327mm x 2546mm	<b>W52.250</b> (1327 mm)	<b>L100.250</b> (2546 mm)		
	<b>40100</b> 52-1/4" x 123-1/4" / 1327mm x 3131mm	<b>W52.250</b> (1327 mm)	<b>L123.250</b> (3131 mm)		
	<b>5050</b> 63-1/4" x 63-1/4" / 1607mm x 1607mm <sup>3</sup>	<b>W63.250</b> (1607 mm)	<b>L63.250</b> (1607 mm)		
	<b>5558</b> 67-3/4" x 70-3/4" / 1721mm x 1797mm	<b>W67.750</b> (1721 mm)	<b>L70.750</b> (1797 mm)		
	<b>5060</b> 63-5/8" x 75-5/8" / 1616mm x 1921mm	<b>W63.625</b> (1616 mm)	<b>L75.625</b> (1921 mm)		
	<b>5070</b> 63-1/4" x 87-1/4" / 1607mm x 2216mm	<b>W63.250</b> (1607 mm)	<b>L87.250</b> (2216 mm)		
	<b>5080</b> 63-1/4" x 99-1/4" / 1607mm x 2521mm	<b>W63.250</b> (1607 mm)	<b>L99.250</b> (2521 mm)		
	<b>50100</b> 63-1/4" x 123-1/4" / 1607mm x 3131mm	<b>W63.250</b> (1607 mm)	<b>L123.250</b> (3131 mm)		


Use **CUST** for Custom sized units.

**W** \_\_\_\_ Custom Width **L** \_\_\_\_ Custom Width

Lens Colors	Unit Type	Continuous Venting	Skylight Frame Finish	Options
<b>LENSWH</b> White (Single Glaze Default) <sup>1</sup>	<b>80SSC</b> Continuous Vent	<b>(blank)</b> No venting	<b>MI</b> Mill (Default)	<b>(blank)</b> No Options
<b>LENSCL</b> Clear <sup>1</sup>		<b>1BL</b> 1 Blade Continuous Vent		<b>SCRN</b> Bug Screen <sup>4</sup>
<b>LENSWHCL</b> White Clear <sup>2</sup>		<b>2BL</b> 2 Blade Continuous Vent		
<b>LENSCLWH</b> Clear White (Double Glaze Default) <sup>2</sup>		<b>3BL</b> 3 Blade Continuous Vent		
<b>LENSWHWH</b> White White <sup>2</sup>		<b>4BL</b> 4 Blade Continuous Vent		
<b>LENSCLCL</b> Clear Clear <sup>2</sup>		<b>5BL</b> 5 Blade Continuous Vent		
		<b>6BL</b> 6 Blade Continuous Vent		
		<b>7BL</b> 7 Blade Continuous Vent		
		<b>8BL</b> 8 Blade Continuous Vent		
		<b>9BL</b> 9 Blade Continuous Vent		
		<b>10BL</b> 10 Blade Continuous Vent		


- 1) Single Glaze
- 2) Double Glaze
- 3) Pyramid Lens
- 4) Bug Screen only available for 80SSC Continuous Vent Unit Types





# Manually Venting

Double Hip, Pyramid and Flat Skylights




## Frame Model 840B

### KEY FEATURES

Truth Operator for Ease of Opening  
 Integrated Bug Screen  
 Bronze or Mill Finish

### PRODUCT PROFILE



### SPECIFICATIONS

Skylights shall be Sunoptics model 840B ( curb mounted ) as manufactured by Sunoptics Skylights, 6201 27th Street, Sacramento Ca. 95822 916/395-4700

Skylights shall be glazed ready for installation.

Skylight frames shall be fabricated from 6063 T5 aluminum, finish as specified. Frames shall have integral condensation and weepage gutters which drain interior moisture to the outside. Corners shall be mitered and welded. Skylight frames shall be thermally broken. The acrylic glazing shall be separated from the skylight frame with an EPDM rubber air seal gasket.

Skylights shall be operated using Truth Inc. chain drive manual operator and include a bug screen.

Skylights shall be glazed using CC2 acrylic, and/or polycarbonate in a pyramid or double hip configuration.

Note: Multi-glazed units default to include Insulated Thermal Break (ITBR), CTape, Weather Sweep (WSW) and screws. Single-glazed units default to not included any of these options.

Type	SHGC	U-Value	VLT
Single Glazed Acrylic	.51	n/a	.74
Single Glazed Poly	.51	n/a	.70
Double Glazed Acrylic/Acrylic	.42	.74	.68
Double Glazed Poly/Acrylic	.42	.74	.63
Triple Glazed Acrylic/Acrylic/Acrylic	.33	.62	.63
Triple Glazed Poly/Acrylic/Acrylic	.33	.62	.60

Standard pole is 3 ft. and adjustable up to 5 ft.  
 Also available with 3 ft. extensions.

# ORDERING LOGIC

# Manually Venting Skylight



Fixture	ID Frame Dimensions	Glazing	Lens Material	Lens Colors
<b>DHP</b> Double Hip Lens	<b>1414</b> 18-5/8" x 18-5/8" <sup>4</sup>	<b>SGZ</b> Single Glaze	<b>CC1</b> Polycarbonate	<b>LENSWH</b> White (Single Glaze Default) <sup>1</sup>
<b>PY</b> Pyramid Lens	<b>2040</b> 27-1/4"x51-1/4"	<b>DGZ</b> Double Glaze	<b>50CC2</b> 50% IM Acrylic	<b>LENSCL</b> Clear <sup>1</sup>
	<b>2080</b> 27-1/4"x99-1/4"	<b>TGZ</b> Triple Glaze		<b>LENSWHCL</b> White Clear <sup>2</sup>
	<b>20100</b> 27-1/4"x123-1/4"			<b>LENSCLWH</b> Clear White (Double Glaze Default) <sup>2</sup>
	<b>2020</b> 26-5/8" x 26-5/8" <sup>4</sup>			<b>LENSWHWH</b> White White <sup>2</sup>
	<b>2828</b> 34-5/8" x 34-5/8" <sup>4</sup>			<b>LENSCLCL</b> Clear Clear <sup>2</sup>
	<b>3030</b> 38-5/8" x 38-5/8" <sup>4</sup>			<b>LENSWHWHWH</b> White White White <sup>3</sup>
	<b>3050</b> 39-1/4"x63-1/4"			<b>LENSCLCLCL</b> Clear Clear Clear <sup>3</sup>
	<b>3060</b> 39-1/4"x75-1/4"			<b>LENSCLWHCL</b> Clear White Clear (Triple Glaze Default) <sup>3</sup>
	<b>3080</b> 39-1/4"x99-1/4"			<b>LENSWHCLWH</b> White Clear White <sup>3</sup>
	<b>30100</b> 39-1/4"x123-1/4"			<b>LENSCLWHWH</b> Clear White White <sup>3</sup>
	<b>4040</b> 50-5/8" x 50-5/8" <sup>4</sup>			<b>LENSWHCLCL</b> White Clear Clear <sup>3</sup>
	<b>4050</b> 51-1/4"x63-1/4"			
	<b>4060</b> 51-1/4"x75-1/4"			
	<b>4070</b> 51-1/4"x87-1/4"			
	<b>4080</b> 52-1/4"x100-1/4"			
	<b>40100</b> 52-1/4" x 123-1/4"			
	<b>5558</b> 67-3/4" x 70-3/4"			
	<b>5050</b> 63-1/4"x63-1/4" <sup>4</sup>			
	<b>5060</b> 63-5/8"x75-5/8"			
	<b>5070</b> 63-1/4"x87-1/4"			
	<b>5080</b> 63-1/4"x99-5/8"			


Use **CUST** for Custom sized units.



Unit Type	Skylight Frame Finish	Options
<b>840B</b> Manually Venting Frame	<b>MI</b> Mill (Default)	<b>(blank)</b> No Options
	<b>WH</b> White	<b>ITBR</b> Insulated Thermal Break
	<b>BZ</b> Bronze	<b>NITBR</b> No Insulated Thermal Break
	<b>CF</b> Custom	<b>WSW</b> Weather Sweep
		<b>NWSW</b> No Weather Sweep
		<b>CTAPE</b> Curb Seal Tape
		<b>NOCTAPE</b> No Curb Seal Tape


1) Single Glaze 2) Double Glaze 3) Triple Glaze 4) Pyramid Lens only





# Double Hip & Pyramid

Fixed Skylights




## Frame Model 800MD

### KEY FEATURES

- Custom Sizes Available
- Prismatic Design
- Bronze or Mill Finish

### PRODUCT PROFILE

Details Not To Scale



### SPECIFICATIONS

Skylights shall be Sunoptics model 800MD ( curb mounted ) as manufactured by Sunoptics Skylights, 6201 27th Street, Sacramento Ca. 95822 916/395-4700

Skylights shall be glazed ready for installation.

Skylight frames shall be fabricated from 6063 T5 aluminum, finish as specified by architect. Frames shall have integral condensation and weepage gutters which drain interior moisture to the outside. Corners shall be mitered and welded. Skylight frames shall be insulated and thermally broken. The acrylic glazing shall be separated from the skylight frame with an EPDM rubber air seal gasket.

Skylights shall be glazed using CC2 Rated acrylic, or CC1 Rated polycarbonate glazed in a pyramid or double hip configuration.

Double Hip Units are tested and certified to AAMA/WDMA/CSA101/I.S.2/A440-05 to comply with section 2405.5 of the International Building Code.

Note: Multi-glazed units default to include Insulated Thermal Break (ITBR), CTape, Weather Sweep (WSW) and screws. Single-glazed units default to not included any of these options.

Type	SHGC	U-Value	VLT
Single Glazed Acrylic	.51	n/a	.74
Single Glazed Poly	.51	n/a	.70
Double Glazed Acrylic/Acrylic	.42	.74	.68
Double Glazed Poly/Acrylic	.42	.74	.63
Triple Glazed Acrylic/Acrylic/Acrylic	.33	.62	.63
Triple Glazed Poly/Acrylic/Acrylic	.33	.62	.60

# ORDERING LOGIC

# Double Hip & Pyramid Skylights

<u>Fixture</u>	<u>ID Frame Dimensions</u>	<u>Glazing</u>	<u>Lens Material</u>	<u>Lens Colors</u>
<b>DHP</b> Double Hip Lens	<b>1414</b> 18-5/8" x 18-5/8" <sup>4</sup>	<b>SGZ</b> Single Glaze	<b>CC1</b> Polycarbonate	<b>LENSWH</b> White ( <b>Single Glaze Default</b> ) <sup>1</sup>
<b>PY</b> Pyramid Lens	<b>2040</b> 27-1/4" x 51-1/4"	<b>DGZ</b> Double Glaze	<b>50CC2</b> 50% IM Acrylic	<b>LENSCL</b> Clear <sup>1</sup>
	<b>2080</b> 27-1/4" x 99-1/4"	<b>TGZ</b> Triple Glaze		<b>LENSWHCL</b> White Clear <sup>2</sup>
	<b>20100</b> 27-1/4" x 123-1/4"			<b>LENSCLWH</b> Clear White ( <b>Double Glaze Default</b> ) <sup>2</sup>
	<b>2020</b> 26-5/8" x 26-5/8" <sup>4</sup>			<b>LENSWHWH</b> White White <sup>2</sup>
	<b>2828</b> 34-5/8" x 34-5/8" <sup>4</sup>			<b>LENSCLCL</b> Clear Clear <sup>2</sup>
	<b>3030</b> 38-5/8" x 38-5/8" <sup>4</sup>			<b>LENSWHWHWH</b> White White White <sup>3</sup>
	<b>3050</b> 39-1/4" x 63-1/4"			<b>LENSCLCLCL</b> Clear Clear Clear <sup>3</sup>
	<b>3060</b> 39-1/4" x 75-1/4"			<b>LENSCLWHCL</b> Clear White Clear ( <b>Triple Glaze Default</b> ) <sup>3</sup>
	<b>3080</b> 39-1/4" x 99-1/4"			<b>LENSWHCLWH</b> White Clear White <sup>3</sup>
	<b>30100</b> 39-1/4" x 123-1/4"			<b>LENSCLWHWH</b> Clear White White <sup>3</sup>
	<b>4040</b> 51-1/4" x 51-1/4" <sup>4</sup>			<b>LENSWHCLCL</b> White Clear Clear <sup>3</sup>
	<b>4050</b> 51-1/4" x 63-1/4"			
	<b>4060</b> 51-1/4" x 75-1/4"			
	<b>4070</b> 51-1/4" x 87-1/4"			
	<b>4080</b> 52-1/4" x 100-1/4"			
	<b>40100</b> 52-1/4" x 123-1/4"			
	<b>5558</b> 67-3/4" x 70-3/4"			
	<b>5050</b> 63-1/4" x 63-1/4" <sup>4</sup>			
	<b>5060</b> 63-5/8" x 75-5/8"			
	<b>5070</b> 63-1/4" x 87-1/4"			
	<b>5080</b> 63-1/4" x 99-5/8"			

Use **CUST** for Custom sized units.

<u>Unit Type</u>	<u>Venting*</u>	<u>Skylight Frame Finish</u>	<u>Options</u>
<b>800MD</b> Standard Frame ( <b>Default</b> )	<b>(blank)</b> No Venting	<b>MI</b> Mill ( <b>Default</b> )	<b>(blank)</b> No Options
<b>800SC</b> So-Cal Skylight	<b>1BL</b> 1 Blade Continuous Vent	<b>WH</b> White	<b>ITBR</b> Insulated Thermal Break
<b>805SC</b> Continuous Vent	<b>2BL</b> 2 Blade Continuous Vent	<b>BZ</b> Bronze	<b>NITBR</b> No Insulated Thermal Break
	<b>3BL</b> 3 Blade Continuous Vent	<b>CF</b> Custom	<b>WSW</b> Weather Sweep
	<b>4BL</b> 4 Blade Continuous Vent		<b>NWSW</b> No Weather Sweep
	<b>5BL</b> 5 Blade Continuous Vent		<b>CTAPE</b> Curb Seal Tape
	<b>6BL</b> 6 Blade Continuous Vent		<b>NOCTAPE</b> No Curb Seal Tape
	<b>7BL</b> 7 Blade Continuous Vent		
	<b>8BL</b> 8 Blade Continuous Vent		
	<b>9BL</b> 9 Blade Continuous Vent		
	<b>10BL</b> 10 Blade Continuous Vent		

1) Single Glaze 2) Double Glaze 3) Triple Glaze 4) Pyramid Lens only \*available with 805SC unit type only

